



## Identified Uses for SDIOC substances – REACH registration 2010

Substance: sodium thiosulfate

EINECS No. 231-867-5

CAS 7772-98-7

### Uses by workers in industrial settings

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
	1	Manufacture of sodium thiosulfate and industrial use of sodium thiosulfate in the chemical industry	as such (substance itself) in a mixture	<p><b>Process category (PROC):</b></p> <p>PROC 1: Use in closed process, no likelihood of exposure</p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 7: Industrial spraying</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>vessels/large containers at dedicated facilities</p> <p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p>PROC 10: Roller application or brushing</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 1: Adhesives, sealants</p> <p>PC 2: Adsorbents</p> <p>PC 3: Air care products</p> <p>PC 4: Anti-freeze and de-icing products</p> <p>PC 7: Base metals and alloys</p> <p>PC 8: Biocidal products (e.g. disinfectants, pest control)</p> <p>PC 9a: Coatings and paints, thinners, paint removes</p> <p>PC 9b: Fillers, putties, plasters, modelling clay</p> <p>PC 13: Fuels</p> <p>PC 14: Metal surface treatment products, including galvanic and electroplating products</p> <p>PC 15: Non-metal-surface treatment products</p> <p>PC 17: Hydraulic fluids</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PC 18: Ink and toners</p> <p>PC 19: Intermediate</p> <p>PC 20: Products such as ph-regulators, flocculants, precipitants, neutralisation agents</p> <p>PC 23: Leather tanning, dye, finishing, impregnation and care products</p> <p>PC 24: Lubricants, greases, release products</p> <p>PC 25: Metal working fluids</p> <p>PC 26: Paper and board dye, finishing and impregnation products: including bleaches and other processing aids</p> <p>PC 28: Perfumes, fragrances</p> <p>PC 30: Photo-chemicals</p> <p>PC 31: Polishes and wax blends</p> <p>PC 32: Polymer preparations and compounds</p> <p>PC 34: Textile dyes, finishing and impregnating products; including bleaches and other processing aids</p> <p>PC 35: Washing and cleaning products (including solvent based products)</p> <p>PC 37: Water treatment chemicals</p> <p>PC 38: Welding and soldering products (with flux coatings or flux cores.), flux products</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PC 39: Cosmetics, personal care products</p> <p>PC 40: Extraction agents</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 1: Manufacture of substances</p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6a: Industrial use resulting in manufacture of another substance (use of intermediates)</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 6d: Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers</p> <p>ERC 7: Industrial use of substances in closed systems</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p><b>Sector of end use (SU):</b></p> <p>SU 8: Manufacture of bulk, large scale chemicals (including petroleum products)</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>SU 9: Manufacture of fine chemicals</p> <p>SU 10: Formulation [mixing] of preparations and/or re-packaging (excluding alloys)</p> <p>SU 16: Manufacture of computer, electronic and optical products, electrical equipment</p> <p>SU 20: Health services</p> <p><b>Subsequent service life relevant for that use?: no</b></p>
	2	Photographic industry	as such (substance itself)  in a mixture	<p><b>Process category (PROC):</b></p> <p>PROC 1: Use in closed process, no likelihood of exposure</p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 7: Industrial spraying</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 30: Photo-chemicals</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 1: Manufacture of substances</p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6a: Industrial use resulting in manufacture of another substance (use of intermediates)</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p><b>Sector of end use (SU):</b></p> <p>SU 6b: Manufacture of pulp, paper and paper products</p>



Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				SU 7: Printing and reproduction of recorded media <b>Subsequent service life relevant for that use?: no</b>
	3	Textile/Leather industry	as such (substance itself)  in a mixture	<b>Process category (PROC):</b> PROC 1: Use in closed process, no likelihood of exposure PROC 2: Use in closed, continuous process with occasional controlled exposure PROC 3: Use in closed batch process (synthesis or formulation) PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact) PROC 6: Calendering operations PROC 7: Industrial spraying PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC 10: Roller application or brushing

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p><b>Market sector by type of chemical product:</b></p> <p>PC 19: Intermediate</p> <p>PC 23: Leather tanning, dye, finishing, impregnation and care products</p> <p>PC 31: Polishes and wax blends</p> <p>PC 34: Textile dyes, finishing and impregnating products; including bleaches and other processing aids</p> <p>PC 35: Washing and cleaning products (including solvent based products)</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 1: Manufacture of substances</p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 7: Industrial use of substances in closed systems</p> <p>ERC 8c: Wide dispersive indoor use resulting in inclusion into or onto a matrix</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p><b>Sector of end use (SU):</b></p> <p>SU 5: Manufacture of textiles, leather, fur</p> <p><b>Subsequent service life relevant for that use?:</b> no</p>
	4	Water treatment/Mining/Offshore/Metal industry/Surface treatment)	as such (substance itself)  in a mixture	<p><b>Process category (PROC):</b></p> <p>PROC 1: Use in closed process, no likelihood of exposure</p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 7: Industrial spraying</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities</p> <p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 10: Roller application or brushing</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 20: Heat and pressure transfer fluids in dispersive, professional use but closed systems</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 2: Adsorbents</p> <p>PC 7: Base metals and alloys</p> <p>PC 9a: Coatings and paints, thinners, paint removes</p> <p>PC 14: Metal surface treatment products, including galvanic and electroplating products</p> <p>PC 15: Non-metal-surface treatment products</p> <p>PC 17: Hydraulic fluids</p> <p>PC 19: Intermediate</p> <p>PC 20: Products such as ph-regulators, flocculants, precipitants, neutralisation agents</p> <p>PC 24: Lubricants, greases, release products</p> <p>PC 25: Metal working fluids</p> <p>PC 37: Water treatment chemicals</p> <p>PC 38: Welding and soldering products (with flux coatings or flux cores.), flux products</p> <p><b>Environmental release category (ERC):</b></p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>ERC 2: Formulation of preparations</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 7: Industrial use of substances in closed systems</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p>ERC 8e: Wide dispersive outdoor use of reactive substances in open systems</p> <p>ERC 9a: Wide dispersive indoor use of substances in closed systems</p> <p>ERC 9b: Wide dispersive outdoor use of substances in closed systems</p> <p><b>Sector of end use (SU):</b></p> <p>SU 2a: Mining (without offshore industries)</p> <p>SU 2b: Offshore industries</p> <p>SU 10: Formulation [mixing] of preparations and/or re-packaging (excluding alloys)</p> <p>SU 14: Manufacture of basic metals, including alloys</p> <p>SU 15: Manufacture of fabricated metal products, except machinery and equipment</p> <p>SU 17: General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				SU 23: Electricity, steam, gas water supply and sewage treatment  <b>Subsequent service life relevant for that use?: no</b>
	5	Additive for cement	as such (substance itself)  in a mixture	<b>Process category (PROC):</b>  PROC 1: Use in closed process, no likelihood of exposure  PROC 2: Use in closed, continuous process with occasional controlled exposure  PROC 3: Use in closed batch process (synthesis or formulation)  PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises  PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)  PROC 6: Calendering operations  PROC 7: Industrial spraying  PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities  PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities  PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)  PROC 10: Roller application or brushing



Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 20: Heat and pressure transfer fluids in dispersive, professional use but closed systems</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 9b: Fillers, putties, plasters, modelling clay</p> <p>PC 19: Intermediate</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 8a: Wide dispersive indoor use of processing aids in open systems</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p>ERC 8c: Wide dispersive indoor use resulting in inclusion into or onto a matrix</p> <p>ERC 8d: Wide dispersive outdoor use of processing aids in open systems</p> <p>ERC 8e: Wide dispersive outdoor use of reactive substances in open systems</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>ERC 8f: Wide dispersive outdoor use resulting in inclusion into or onto a matrix</p> <p>ERC 10a: Wide dispersive outdoor use of long-life articles and materials with low release</p> <p><b>Sector of end use (SU):</b></p> <p>SU 13: Manufacture of other non-metallic mineral products, e.g. plasters, cement</p> <p>SU 19: Building and construction work</p> <p><b>Subsequent service life relevant for that use?:</b> no</p>

#### Uses by professional workers

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
	6	Photographic sector	<p>as such (substance itself)</p> <p>in a mixture</p>	<p><b>Process category (PROC):</b></p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>(multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities</p> <p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p>PROC 10: Roller application or brushing</p> <p>PROC 11: Non industrial spraying</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 20: Heat and pressure transfer fluids in dispersive, professional use but closed systems</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 30: Photo-chemicals</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 1: Manufacture of substances</p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>articles</p> <p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6a: Industrial use resulting in manufacture of another substance (use of intermediates)</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p><b>Subsequent service life relevant for that use?: no</b></p>
	7	Textile/Leather sector	as such (substance itself)  in a mixture	<p><b>Process category (PROC):</b></p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p>PROC 10: Roller application or brushing</p> <p>PROC 11: Non industrial spraying</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 20: Heat and pressure transfer fluids in dispersive, professional use but closed systems</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 23: Leather tanning, dye, finishing, impregnation and care products</p> <p>PC 31: Polishes and wax blends</p> <p>PC 34: Textile dyes, finishing and impregnating products; including bleaches and other processing aids</p> <p>PC 35: Washing and cleaning products (including solvent based products)</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 1: Manufacture of substances</p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p>



Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 7: Industrial use of substances in closed systems</p> <p>ERC 8c: Wide dispersive indoor use resulting in inclusion into or onto a matrix</p> <p><b>Subsequent service life relevant for that use?: no</b></p>
	8	Water treatment/Mini ng/Offshore/Metal sector/Surface treatment)	as such (substance itself) in a mixture	<p><b>Process category (PROC):</b></p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities</p> <p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 10: Roller application or brushing</p> <p>PROC 11: Non industrial spraying</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 20: Heat and pressure transfer fluids in dispersive, professional use but closed systems</p> <p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 2: Adsorbents</p> <p>PC 7: Base metals and alloys</p> <p>PC 9a: Coatings and paints, thinners, paint removes</p> <p>PC 14: Metal surface treatment products, including galvanic and electroplating products</p> <p>PC 15: Non-metal-surface treatment products</p> <p>PC 17: Hydraulic fluids</p> <p>PC 20: Products such as ph-regulators, flocculants, precipitants, neutralisation agents</p> <p>PC 24: Lubricants, greases, release products</p> <p>PC 25: Metal working fluids</p> <p>PC 37: Water treatment chemicals</p> <p>PC 38: Welding and soldering products (with flux coatings or flux cores.), flux products</p> <p><b>Environmental release category (ERC):</b></p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>ERC 2: Formulation of preparations</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 6b: Industrial use of reactive processing aids</p> <p>ERC 7: Industrial use of substances in closed systems</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p>ERC 8e: Wide dispersive outdoor use of reactive substances in open systems</p> <p>ERC 9a: Wide dispersive indoor use of substances in closed systems</p> <p>ERC 9b: Wide dispersive outdoor use of substances in closed systems</p> <p><b>Subsequent service life relevant for that use?: no</b></p>
	9	Use in cement	as such (substance itself)  in a mixture	<p><b>Process category (PROC):</b></p> <p>PROC 2: Use in closed, continuous process with occasional controlled exposure</p> <p>PROC 3: Use in closed batch process (synthesis or formulation)</p> <p>PROC 4: Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p>PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</p> <p>PROC 6: Calendering operations</p> <p>PROC 8a: Transfer of substance or preparation (charging/discharging) from/to</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>vessels/large containers at non-dedicated facilities</p> <p>PROC 8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities</p> <p>PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p>PROC 10: Roller application or brushing</p> <p>PROC 11: Non industrial spraying</p> <p>PROC 12: Use of blowing agents in manufacture of foam</p> <p>PROC 13: Treatment of articles by dipping and pouring</p> <p>PROC 14: Production of preparations or articles by tableting, compression, extrusion, pelletisation</p> <p>PROC 15: Use as laboratory reagent</p> <p>PROC 16: Using material as fuel sources, limited exposure to unburned product to be expected</p> <p>PROC 17: Lubrication at high energy conditions and in partly open process</p> <p>PROC 18: Greasing at high energy conditions</p> <p>PROC 19: Hand-mixing with intimate contact and only PPE available.</p> <p>PROC 20: Heat and pressure transfer fluids in dispersive, professional use but closed systems</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>PROC 21: Low energy manipulation of substances bound in materials and/or articles</p> <p>PROC 22: Potentially closed processing operations with minerals/metals at elevated temperature. Industrial setting</p> <p>PROC 23: Open processing and transfer operations with minerals/metals at elevated temperature</p> <p>PROC 24: High (mechanical) energy work-up of substances bound in materials and/or articles</p> <p>PROC 25: Other hot work operations with metals</p> <p>PROC 26: Handling of solid inorganic substances at ambient temperature</p> <p><b>Market sector by type of chemical product:</b></p> <p>PC 9b: Fillers, putties, plasters, modelling clay</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 2: Formulation of preparations</p> <p>ERC 3: Formulation in materials</p> <p>ERC 4: Industrial use of processing aids in processes and products, not becoming part of articles</p> <p>ERC 5: Industrial use resulting in inclusion into or onto a matrix</p> <p>ERC 6b: Industrial use of reactive processing aids</p>

Confidential	IU number	Identified Use (IU) name	Substance supplied to that use	Use descriptors
				<p>ERC 8a: Wide dispersive indoor use of processing aids in open systems</p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p> <p>ERC 8c: Wide dispersive indoor use resulting in inclusion into or onto a matrix</p> <p>ERC 8d: Wide dispersive outdoor use of processing aids in open systems</p> <p>ERC 8e: Wide dispersive outdoor use of reactive substances in open systems</p> <p>ERC 8f: Wide dispersive outdoor use resulting in inclusion into or onto a matrix</p> <p>ERC 10a: Wide dispersive outdoor use of long-life articles and materials with low release</p> <p><b>Subsequent service life relevant for that use?: no</b></p>

#### Uses by consumers

Confidential	IU number	Identified Use (IU) name	Use descriptors
	10	Consumer use of sodium thiosulfate in photographic applications	<p><b>Chemical product category (PC):</b></p> <p>PC 30: Photo-chemicals</p> <p><b>Environmental release category (ERC):</b></p> <p>ERC 8b: Wide dispersive indoor use of reactive substances in open systems</p>

Confidential	IU number	Identified Use (IU) name	Use descriptors
			<b>Subsequent service life relevant for that use?:</b> no
	11	Consumer use of cement	<b>Chemical product category (PC):</b> PC 9b: Fillers, putties, plasters, modelling clay <b>Environmental release category (ERC):</b> ERC 10a: Wide dispersive outdoor use of long-life articles and materials with low release <b>Subsequent service life relevant for that use?:</b> no